


Interlock® SSCI



For installation information please refer to the tooling overview and manuals on our website www.avdel-global.com.
 Pour les conditions de pose, merci de vous référer à la description de l'outil et aux manuels disponibles sur notre site Web.
 Angaben zur Verarbeitung entnehmen Sie bitte der Geräteübersicht und den Betriebsanleitungen auf unserer Website.
 Per informazioni sull'installazione preghiamo consultare i manuali e la panoramica degli attrezzi sul nostro sito web.
 Para ver información sobre máquinas de colocación, consulte nuestra página web, apartados visión general de máquinas y manuales.

English	Français	Deutsch	Italiano	Español
Countersunk head	Tête fraisée	Senkkopf	Testa svasata	Cabeza avellanada
Body: Steel*	Corps: Acier*	Hülse: Stahl*	Corpo: Acciaio*	Cuerpo: Acero*
Zinc plated	Revêtement zingué	verzinkt	Zincati	Zincado
Clear trivalent chromated	Passivation claire trivalente	Klar chromatiert, Cr6-frei	Passivazione chiara trivalente	Pasivado claro trivalente
Stem: Steel*	Tige: Acier*	Dorn: Stahl*	Gambo: Acciaio*	Vástago: Acero*
Zinc plated	Revêtement zingué	verzinkt	Zincati	Zincado
Clear trivalent chromated	Passivation claire trivalente	Klar chromatiert, Cr6-frei	Passivazione chiara trivalente	Passivado claro trivalente

*: BS 3111 Type 1 SAE 1038



ø	Grip		Thread		M	B	D	E	Grip 1	Grip 2	Part No/ref
	min.	max.	min.	max.							
3/16" (4.8 mm)	.125	.331	.191	.201	.793	.345	.070	.122	1300	1000	SSCI-06-06
1/4" (6.4 mm)	.170	.475	.261	.276	1.115	.415	.079	.162	2400	1850	SSCI-08-08

all dimensions in inches / en pouces / alle Maße in Zoll / in pollici / en pulgadas

1) These grips are not defined in IFI-134 and therefore the strength values should be considered typical and not a minimum / Ces épaisseurs de serrage ne sont pas définies dans la IFI-134 par conséquent les valeurs de tenue doivent considérées comme moyenne et non minimum / Diese Klemmbereiche sind nicht in IFI-134 definiert, deshalb sollten die Festigkeitswerte als typisch und nicht minimum betrachtet werden / Questi spessori non sono definiti nella IFI-134 e pertanto i valori di resistenza debbono considerarsi come tipici, non come valori minimi / Estos espesores a remachar no están definidos en IFI-134 por lo que los valores de resistencias deben considerarse como típicos, no como valores mínimos.